

Model No.: WSI-HDMI14E-3/6/10/12/20

Specification :



Conductor:

	Gauge	specification	Material	Suitable Cable Length	Cable Diameter
Conductor	30AWG	1/0.254	Copper Clad Steel (CCS)	0-15ft	6mm
	28AWG	1/0.32		20-30ft	7.3mm

Shield: (optional)

Al foil shield or Braiding.

Plug type:

1) HDMI Black Plug



2) HDMI Two Color Plug



3) HDMI Aluminum Cover Plug



Other Plug option:

a)HDMI C type Plug

b)Micro Plug

Jacket:

a) Normal PVC


b) Round or Flat Cable

Packing:

Polybag or Blister packing

Connected:

19 Pin+1 AND 15Pin +1



Economy HDMI Cable 1.4 version

Model No.: WSI-HDMI14-3/6/10/12/20

Specification :



Conductor:

Conductor	Guage	specification	Material	Suitable Cable Length	Cable Diameter
	30AWG	7/0.10	COPPER	0-15ft	6mm
	28AWG	7/0.127		20-30ft	7.3mm
	26AWG	7/0.16	TINNED COPPER	35-50ft	8.5mm
	24AWG	7/0.20		60-70ft	10.5mm



Shield: (optional)

Shield	specification	Material	Suitable Cable Length	Cable Diameter
Other shield	AL PET FOIL			
	Plug : IEC COPPER FOIL SOLDING			
	Plug: IEC IRON COVER SOLDING			
	Magnet cores on both end of the cable			
Braiding	96/0.12mm	Al wire	0-15ft	6mm
	128/0.12mm		20-30ft	7.3mm
	144/0.12mm	or	35-50ft	8.5mm
	196/0.12mm	Copper wire	60-70ft	10.5mm

Plug type:

1) HDMI Black Plug



2) HDMI Two Color Plug



3) HDMI Aluminum Cover Plug



Other Plug option:


- a) HDMI C type Plug
- b) Micro Plug

Jacket:

- a) Normal PVC or UL vw-1 Standard
- b) Round or Flat Cable

Packing:

Polybag or Blister packing



Standard HDMI Cable 1.4 version

Model No.: WSI-HDMI20-3/6/12/25

Specification :



Conductor:

Conductor	Guage	specification	Material	Suitable Cable Length	Cable Diameter
	30AWG	7/0.10	COPPER	0-6ft	6mm
	28AWG	7/0.127		10-25ft	7.3mm
	26AWG	7/0.16	TINNED COPPER	30-40ft	8.5mm
	24AWG	7/0.20		50-60ft	10.5mm

Shield: (Must be with shield)



Shield	specification	Material	Suitable Cable Length	Cable Diameter
Other shield	AL PET FOIL			
	Plug : IEC COPPER FOIL ALL SOLDING			
	Plug: IEC IRON COVER ALL SOLDING			
	Magnet cores on both end of the cable			
Braiding	96/0.12mm	Al wire	0-6ft	6mm
	128/0.12mm		10-25ft	7.3mm
	144/0.12mm	or	30-40ft	8.5mm
	196/0.12mm	Copper wire	50-60ft	10.5mm

Plug type:

1) HDMI Black Plug



2) HDMI Two Color Plug



3) HDMI Aluminum Cover Plug




Jacket:

- a) Normal PVC or UL vw-1 Standard
- b) Round or Flat Cable

Packing:

Polybag or Blister packing



Standard HDMI Cable 2.0 version